maxit

## Safety data sheet according to 1907/2006/EC, Article 31

Revision: 27.03.2017

### Printing date 27.03.2017

Version number 5

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

- · Trade name: maxit mur 900 grau
- $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available. • Application of the substance / the mixture Mortar
- 1.3 Details of the supplier of the safety data sheet

1.3 Details of the supplier of t
Manufacturer/Supplier: maxit Baustoffwerke GmbH Brandensteiner Weg 1
D-07387 Krölpa +49 (0)3647/433-0 info@maxit-kroelpa.de

Franken Maxit Mauermörtel GmbH Azendorf 63 D-95359 Kasendorf Tel. 09220/18-0

• Further information obtainable from: Product safety division email: thomas.lohse@maxit-kroelpa.de • 1.4 Emergency telephone number:

Giftnotruf Erfurt Nordhäuserstr.74 99089 Erfurt Telefon: 0049 - (0)361 - 730 730

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. • Hazard pictograms



· Signal word Danger

- Hazard-determining components of labelling: Cement, portland, chemicals
- · Hazard statements
- H315 Causes skin irritation.

(Contd. on page 2)

<sup>-</sup> GB

# maxit

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.03.2017

Version number 5

Revision: 27.03.2017

Trade name: maxit mur 900 grau

	(Contd. of page 1)
H318 Causes	s serious eye damage.
	ause respiratory irritation.
Precautiona	ary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P305+P351+	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other ha	6
Product reac	ts strongly alkaline with water.
	of soluble chromium(VI) is in accordance with ec regulation 1907/2006 paragraph 47 not greater
than 0,00029	
<b>Results of P</b>	BT and vPvB assessment
PBT: Not ap	oplicable.
<b>vPvB:</b> Not a	

# **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 65997-15-1 Cement, portland, chemicals

EINECS: 266-043-4 😔 Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315; STOT SE 3, H335

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

# · 4.1 Description of first aid measures

- · After inhalation:
- In case of unconsciousness place patient stably in side position for transportation.
- Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- $\cdot$  Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

25-50%

Printing date 27.03.2017

Version number 5

Revision: 27.03.2017

Trade name: maxit mur 900 grau

(Contd. of page 2)

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- $\cdot$  6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- $\cdot$  6.3 Methods and material for containment and cleaning up:
- Pick up mechanically. Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Prevent formation of dust.
- Information about fire and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:
- Store in dry conditions.
- Protect from humidity and water.
- Keep container tightly sealed.
- Storage class: 13
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

General dust limit (TRGS 900): 1,25 mg/m<sup>3</sup> A; 10 mg/m<sup>3</sup> E

#### 65997-15-1 Cement, portland, chemicals

- WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>
  - \*inhalable dust \*\*respirable dust
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Observe BRG 190 "Rules for the use of respirators". (BRG: Rules issued by the employers' liability insurance association)

(Contd. on page 4)



GB -

Printing date 27.03.2017

maxit

Version number 5

Revision: 27.03.2017

(Contd. of page 3)

Trade name: maxit mur 900 grau

· Protection of hands:



Protective gloves

Wear protective gloves according to EN 374 with CE marking.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

Nitrile-impregnated cotton gloves

For more information on suitable gloves visit the website:

- http://www.gisbau .de
- · Penetration time of glove material
- For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6).

· Eye protection:



×

Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemi	cal properties
· 9.1 Information on basic physical and cl	
· General Information	
· Appearance: Form:	Litra norvelan
Form: Colour:	Like powder
· Odour:	Grey Odourless
	Ououness
· pH-value:	>12
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Undetermined.
Flash point:	Not applicable.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Density:	Not determined.
Solubility in / Miscibility with	
water:	Soluble.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0~%
• 9.2 Other information	No further relevant information available.

## **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

Version number 5

Revision: 27.03.2017

Trade name: maxit mur 900 grau

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot$  10.3 Possibility of hazardous reactions
- Reacts with light alloys in the presence of moisture to form hydrogen.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- $\cdot$  10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- $\cdot$  Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

#### 65997-15-1 Cement, portland, chemicals

#### Dermal LD50 2000 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- $\cdot$  CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark:

The product contains substances that cause a local change of pH-value and are therefore harmful to fish and bacteria.

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Observe local and national official regulations.



Printing date 27.03.2017

(Contd. of page 4)



Printing date 27.03.2017

Version number 5

Revision: 27.03.2017

Trade name: maxit mur 900 grau

	(Contd. of page 5)
Must not be disposed together with household garbage. Do not allow product to reach sew	age system.
· European waste catalogue	
Possible waste ID number: The concrete waste ID number depends on the waste origin.	
10 00 00 WASTES FROM THERMAL PROCESSES	
10 13 00 wastes from manufacture of cement, lime and plaster and articles and products m	nade from them
10 13 11 wastes from cement-based composite materials other than those mentioned in 1	10 13 09 and 10 13
10	

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex Marpol and the IBC Code	II of Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- $\cdot$  Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:

• Information about limitation of use: Employment restrictions concerning juveniles must be observed. • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

· Department issuing SDS: Abteilung Produktsicherheit

(Contd. on page 7)

GB

# maxit

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.03.2017

Version number 5

Revision: 27.03.2017

#### Trade name: maxit mur 900 grau

	(Contd. of page
Contact:	
Mrs. Andratschke	
Mr. Lohse	
Abbreviations and acronyms:	
CLP: Classification, labeling and packaging (Regulation (EC) No. 1272/2008)	
REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No. 1907/2006)	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concer	rning the Internatio
Carriage of Dangerous Goods by Road)	ming the internatio
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the previous version altered.	